



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/575,554

04/10/2006

Yoshiaki Hirose

YMUCP011

8941

22434 7590 08/20/2008
BEYER WEAVER LLP
P.O. BOX 70250
OAKLAND, CA 94612-0250

EXAMINER

GREGORIO, GUINEVER S

ART UNIT

PAPER NUMBER

4162

MAIL DATE

DELIVERY MODE

08/20/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/575,554	Applicant(s) HIROSE, YOSHIAKI	
	Examiner GUINEVER S. GREGORIO	Art Unit 4162	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 May 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-16 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-16 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 22 May 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>09/05/2006</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

1. **Claim 1 is rejected under 35 U.S.C. 102(b) as being anticipated by Norimichi (Japanese Pat. No. JP-2566244).** Norimichi teaches a graphite sheet with thermal conductivity more than 120Kcal/m-hr (140 W/ (m°K)), in the direction of the sheet which corresponds to a thermal conductivity parallel to the surface (Detailed Description, paragraph 12, lines 6-7). Thermal conductivity of more than 140 W/(m°K) encompasses the claimed range of 350 W/(m°K) or more.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.

Art Unit: 1791

4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

4. **Claims 2, 13, and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Norimichi as applied to claim 1 above, and further in view of Kazuhiko et al. (Japanese Pub. No. 2003-297770).** Norimichi teaches a graphite sheet with thermal conductivity preferably below 700 micro-ohm/cm in the direction of the sheet which corresponds to a thermal conductivity parallel to the surface (Detailed Description, paragraph 12, lines 6-7). Norimichi does not teach an arithmetic mean surface roughness or bulk density.

5. Kazuhiko et al. teaches a surface roughness, Ra, 0.1-10 μm (paragraph 27, line 1). Kazuhiko et al. teaches if the surface roughness is less than 0.1 μm the reaction occurs easily due to complete contact which is undesirable (paragraph 28, line 1). Alternatively, Kazuhiko teaches if the surface roughness is over 10.0 μm reaction occurs easily at protruded parts, which is also undesirable (paragraph 28, lines 1-2). Furthermore, Kazuhiko et al. teaches a surface roughness is the arithmetic mean deviation defined by JIS B0601-1994. (paragraph 28, lines 2-3).

6. It would have been obvious to one of ordinary skill in the art at the time of the invention to use a mathematical function known in the art such as the arithmetic mean deviation to determine the proper surface roughness.

7. **Regarding claims 13 and 14,** Kazuhiko et al. teaches the density of the expanded graphite sheet is 0.8-2.2 g/cm^3 which is 0.8-2.2 Mg/m^3 (paragraph 15, line 1). Kazuhiko et al. teaches if the density falls within this range, irregularities or unevenness or roughness at the level of crystals is formed on the surfaces and helps to anchor what

Art Unit: 1791

is laid on the surface (paragraph 15, lines 1-6) It would have been obvious to one of ordinary skill in the art at the time of the invention to keep the density of the graphite sheet between 0.8-2.2 Mg/m³ in order to provide enough friction to anchor what is laid on the surface of the graphite sheet.

8. **Claims 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Norimichi as applied to claim 1 above, and further in view of Taomoto et al.**

(Japanese Pat. No. JP20000016808). Norimichi teaches a graphite sheet with thermal conductivity preferably below 700 micro-ohm/cm in the direction of the sheet which corresponds to a thermal conductivity parallel to the surface (Detailed Description, paragraph 12, lines 6-7). Norimichi does not teach lowest and highest values of local thermal conductivities at various spots in the expanded graphite sheet. Taomoto et al. teaches eliminating the unevenness of the graphite sheet improves the uniformity of thickness, flexibility, toughness, and heat conductivity (abstract, lines 10-15).

9. Taomoto et al. teaches eliminating the unevenness of the graphite sheet improves the uniformity of thickness, flexibility, toughness, and heat conductivity (abstract, lines 10-15).

10. It would have been obvious to one of ordinary skill in the art at the time of the invention to make the thickness of the graphite sheet consistent so that the conductivity remains consistent along the surface. Furthermore the tolerance for error will depend on the application of the graphite sheet and can be ascertained by one of ordinary skill in the art.

Art Unit: 1791

11. **Claims 4 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Norimichi and Kazuhiko as applied to claim 2 above, and further in view of Taomoto et al.** Norimichi teaches a graphite sheet with thermal conductivity preferably below 700 micro-ohm/cm in the direction of the sheet which corresponds to a thermal conductivity parallel to the surface (Detailed Description, paragraph 12, lines 6-7). Kazuhiko et al. teaches a surface roughness, Ra, 0.1-10 μm (paragraph 27, line 1). Neither Norimichi nor Kazuhiko et al. teaches lowest and highest values of local thermal conductivities at various spots in the expanded graphite sheet.
12. Taomoto et al. teaches eliminating the unevenness of the graphite sheet improves the uniformity of thickness, flexibility, toughness, and heat conductivity (abstract, lines 10-15).
13. It would have been obvious to one of ordinary skill in the art at the time of the invention to make the thickness of the graphite sheet consistent so that the conductivity remains consistent along the surface. Furthermore the tolerance for error will depend on the application of the graphite sheet and can be ascertained by one of ordinary skill in the art.
14. **Regarding claim 16,** Kazuhiko et al. teaches the density of the expanded graphite sheet is 0.8-2.2 g/cm^3 which is 0.8-2.2 Mg/m^3 (paragraph 15, line 1). Kazuhiko et al. teaches if the density falls within this range, irregularities or unevenness or roughness at the level of crystals is formed on the surfaces and helps to anchor what is laid on the surface (paragraph 15, lines 1-6) It would have been obvious to one of ordinary skill in the art at the time of the invention to keep the density of the graphite

Art Unit: 1791

sheet between 0.8-2.2 Mg/m³ in order to provide enough friction to anchor what is laid on the surface of the graphite sheet.

15. **Claims 5, 6, 7, 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over the references as applied to claims 1-4 above.** By providing a thermal conductivity of 350 W/(m K) or more, as encompassed by more than 140 W/(m K) as disclosed by Norimichi, a sheet having an electromagnetic-wave-shielding effect of 60dBμV/m or more in the frequency range of 100-800 MHz is obviously provided.

16. **Claims 9, 10, 11, and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over the references as applied to claims 1-4 above, and further in view of Hirose et al. (U.S. Pub. No. 2004/0043220 A1).**

17. Norimichi teaches a graphite sheet with thermal conductivity preferably below 700 micro-ohm/cm in the direction of the sheet which corresponds to a thermal conductivity parallel to the surface (Detailed Description, paragraph 12, lines 6-7).

Kazuhiko et al. teaches a surface roughness, Ra, 0.1-10 μm (paragraph 27, line 1).

Taomoto et al. teaches eliminating the unevenness of the graphite sheet improves the uniformity of thickness, flexibility, toughness, and heat conductivity (abstract, lines 10-

15). Norimichi, Kazuhiko et al., or Taomoto et al. do not teach a total impurity content of 10 ppm or less.

18. Hirose et al. teaches a high purity expanded graphite sheet with impurity not exceeding 10 ppm has a high degree of flexibility (paragraph 12, lines 9-13). It would have been obvious to one of ordinary skill in the art at the time of the invention to use a

Art Unit: 1791

high purity graphite sheet because the graphite sheet would be flexible and therefore more durable.

19. **Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Norimichi and Taomoto as applied to claim 3 above, and further in view of Kazuhiko et al.** Norimichi teaches a graphite sheet with thermal conductivity preferably below 700 micro-ohm/cm in the direction of the sheet which corresponds to a thermal conductivity parallel to the surface (Detailed Description, paragraph 12, lines 6-7). Norimichi does not teach a bulk density. Taomoto et al. teaches eliminating the unevenness of the graphite sheet improves the uniformity of thickness, flexibility, toughness, and heat conductivity (abstract, lines 10-15).

20. Kazuhiko et al. teaches the density of the expanded graphite sheet is 0.8-2.2 g/cm³ which is 0.8-2.2 Mg/m³ (paragraph 15, line 1). Kazuhiko et al. teaches if the density falls within this range, irregularities or unevenness or roughness at the level of crystals is formed on the surfaces and helps to anchor what is laid on the surface (paragraph 15, lines 1-6). It would have been obvious to one of ordinary skill in the art at the time of the invention to keep the density of the graphite sheet between 0.8-2.2 Mg/m³ in order to provide enough friction to anchor what is laid on the surface of the graphite sheet.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to GUINEVER S. GREGORIO whose telephone number is (571)270-5827. The examiner can normally be reached on Monday-Thursday, 10:30-5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jennifer McNeil can be reached on 571-272-1540. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

gsg
August 13, 2008

/Melvin C Mayes/
Primary Examiner, Art Unit 1791